

by Darling Ingredients

16-0-2

With Ammonium Sulfate & Stabilized Nitrogen

GUARANTEED ANALYSIS

Total Nitrogen (N) 16.00%

1.61% Ammoniacal Nitrogen

11.96% Urea Nitrogen

2.40% Water Insoluble Nitrogen**

0.03% Other Water Soluble Nitrogen

 Soluble Potash (K20)
 2.00%

 Calcium (Ca)
 1.00%

 Sulfur (S)
 2.00%

DERIVED FROM

Feather meal, urea, ammonium sulfate, meat meal, sulfate of potash and blood meal.

DIRECTIONS FOR USE

Apply 3.13 to 6.25 lbs. per 1,000 sq. ft. for 0.50 – 1.0 lb. per actual N per 1,000 sq. ft. Application intervals can range from 45 to 90 days.

Amount	Scotts R8	Scotts 2000	Lesco	Prizelawn	Vicon	Lely
½ Lb.	L/M	N/O	J/K	-	26-25'	5-25'
1 Lb.	R	Т	O/P	=	38-25'	6.75-25'

The spreader settings are conservative and should only be used as a guide for calibrating your spreader. Ground speed for Vicon and Lely settings was 4.5 mph.

NOT FOR USE IN ORGANIC CROP AND ORGANIC FOOD PRODUCTION

GENERAL INFORMATION

This product is a unique blend of three nitrogen sources: animal proteins, ammonium sulfate, and urea stabilized nitrogen. The product is based on the slow release nitrogen of our high quality animal proteins. Ammonium sulfate is incorporated into the organic base to improve both color and growth response. The urea stabilized nitrogen will deliver a slow and consistent release for up to 8 weeks.

General Use Fertilizer: Our products contain ingredients safely recycled from animal sources. Caution: Do not eat, feed to animals, or apply to land used for grazing ruminant animals. Wash hands thoroughly with soap and water after handling and before eating or smoking.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html

Sports Turf Directions for Use for Nitrogen: See documents SL191 (http://edis.ifas.ufl.edu/SS404) or BMP's for Enhancement of Environmental Quality on Florida's Golf Courses (http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf).

Lawn Maintenance Companies Directions for Use for Nitrogen:

Eawin Maintenance Contiguenes Directions for Ose for Natiogen:
See document Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries (http://www.dep.state.fl.us/central/Home/MeetingsTraining/FLGreen/BMP_Book_final.pdf).

Environmental Statement: Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

In Maryland: Do not apply this product at more than 5.62 lbs. product per 1,000 sq. ft. This product is providing nutrients as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under 8-803.7 of this article and performed no more than 3 years before the application.

In Pennsylvania: Do not apply this product at more than 5.62 lbs. product per 1,000 sq. ft.



25599

Net Weight 50 LBS. (22.68 KG) Covers 8,000 – 12,000 sq. ft.

Do Not Feed to Animals

COARSE (SGN 220-230)

Guaranteed By: Darling Ingredients Inc. 5601 N. MacArthur Blvd. Irving, TX 75038 U.S.A. (800) 743-7413 naturesafe.com

rev. 04/03/2024

F1024

^{*}This product contains 11.96% urea nitrogen stabilized with N(n-butyl) thiophosphoric triamide.

^{**}This product contains 2.40% slowly available Water Insoluble Nitrogen from feather meal and meat meal.